



PEKASON

AP27 ECRAN
INTERIEUR

A27 Series



OBTENEZ LE MEILLEUR DES TECHNOLOGIES



AP27 Series

P3.81mm/P2.54mm/P1.9mm/P1.58mm/P1.46mm/P1.27mm

Avec la série AP27 , obtenez le meilleur des technologies LCD et LED



LCD Avantages

LED Avantages

Arguments clés



**Format standard
27.5"**

FHD 4K Pixel-to-Pixel
Resolution



**Face avant Install
/ Service**

VESA Compatible



**Fixation murale
discrete
 $\leq 10\text{cm}$**

EasyMount Kit



**Qualité d'image
exceptionnelle**

CrystalView Technology



**Entrées video
standardisées**

HDMI-Direct



Attire l'oeil

- High Brightness
- High Contrast
- Outstanding Image Quality



Installation

- Standard 16:9
- *HDMI-Direct* Technology (*Coming soon*)
- VESA Compatible
- *EasyMount* Kit
- Front Install
- Multi-Type Install



Sans bord

- Duo-Die-Cast Technology



Possibilités architecturales

- Flexibility
- Creative Possibility



Durée de vie

A3C+



Maintenance


- Magnetic front service technology
- NPP *MatteSnapMask* Technology
- *SlideTrack* Technology



Attire l'oeil du public

- High Brightness
- High Contrast
- Outstanding Image Quality

- High Brightness



LCD video wall



LED video wall

- High Contrast



Normal LED without mask



Matte LED with black mask



Low contrast



High contrast

- **Outstanding Image Quality**

CrystalView Technology



Clear textures in shadows




Lost details in shadows


Mise en oeuvre facile

- Standard 16:9
- *HDMI-Direct* Technology (Coming soon)
- VESA Compatible
- *EasyMount* Kit
- Front Install
- Multi-Type Install

• **Standard 16:9** High Definition Pixel-to-Pixel Resolution



- VESA Compatible




A27 series LED 55"

Features



• *EasyMount Kit*






→ Epaisseur ≤ 10cm

- Installation par face avant



• Installation selon les contraintes du site



Murale



Suspendue




Posée



Sans bord

· Duo-Die-Cast Technology

- Duo-Die-Cast Technology



A27 Series Structure



A27 Series Module



Possibilités creatives

• **Creative Possibility**

CreativeDesign Kit

Ecart \approx 4mm





↑ 79.26 ↑ Arrivals
← 72.26

**Uniformité
dans le temps**

A3C+
3rd Generation Calibration Technology
with Auto-Upload Feature

- **A3C+**

3rd Generation Calibration Technology with Auto-Upload Feature



After 1 year usage:
Keeps great color uniformity over time



After 1 year usage:
Colors deteriorate over time




Maintenance facile

- Magnetic front service technology
- NPP *MatteSnapMask* Technology
- *SlideTrack* Technology

- **Repairable**



Magnetic Front Service Technology



NPP *MatteSnapMask* Technology
(A2738/A2719)



SlideTrack Technology

Product Specifications



Item	AP2712	AP2714	AP2715	AP2719	AP2725	AP2738	Unit
Technical Parameter							
Pixel Pitch	1.27	1.46	1.58	1.9	2.54	3.81	mm
Pixel Type	Black SMD 0808	Black SMD 1010	Black SMD 1010	Black SMD 1010	Black SMD 2121	Black SMD 2121	-
Brightness	600	600	650	800	1000	1000	nit
Refresh Rate	1920	1920	1920	1920	1920-3840	1920-3840	Hz
Color Gray Scale	16384	16384	16384	16384	16384	16384	level
Power Consumption (Max./Avg.)	675/225	610/203	610/203	610/203	610/203	500/167	W/sq.m
Viewing Angle (H/V)	160/120	160/140	160/140	160/140	160/140	160/140	deg.
Panel Parameter							
Panel Dimensions	610x343	610x343	610x343	610x343	610x343	610x343	mm
Module Dimensions	305x343	305x343	305x343	305x343	305x343	305x343	mm
Panel Weight	8.5	8.5	8.5	8.5	8	8	kg
Panel Material	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium	--
IP Rating	IP40/IP21	IP40/IP21	IP40/IP21	IP40/IP21	IP40/IP21	IP40/IP21	--
Operating Temperature	- 10~+40	- 10~+40	- 10~+40	- 10~+40	- 10~+40	- 10~+40	°C

Note: For reference only, not the final spec.